R-Series Pushbuttons, Selector Switches













Pushbuttons

22 mm, NEMA 4, IP65





IEC 947-1

-13° + 158° F Ambient Temp

Pushbuttons and Selectors 1 million mechanical Oper. **Emergency Stop** 300,000 Operations

> Ith10 Amp, 600Volt A600, Q600
















Metal Chrome Bezel


Steel Block Holder Included with operators Bolt - On Contact Block

A Secure + Safe System Versus Snap on Contacts

FEATURES

- High Gloss Chrome
- Rugged Design
- Very Bright LED's (22 & 30mm)
- Modular Design
- Secure Screw Mounting
- Self Cleaning Contacts
- Stackable Contacts
- Positive Open Contacts (-)

Per IEC - 609 47 - Parts




AC Ratings, Inductive - NEMA A600 35% Power Factor

Volts	Make Amperes	VA	Break Amperes	VA	Continuous carrying Amperes	Resistive 75% Power factor Make, Break & continuous Amperes
120	60	7200	6	720	10	10
240	30	7200	3	720	10	10
480	15	7200	1.5	720	10	10
600	12	7200	1.2	720	10	10

DC Ratings, UL Type Q600 Inductive and resistive Amps

Volts	Amps Make & Break	Amps Continuous
125	0.55	2.5
250	0.27	2.5
600	0.10	2.5

Minimum AC/DC 17 Volts, 25mA





Illuminated Pushbuttons

Example: R-GL-10-A

Green illuminated PB with 1N.O. contact & 110V bulb.

Illuminated Flush Pushbutton



Operator Only		
Green	R-GL	
Red	R-RL	
Yallow	R-YL	
Blue	R-BLL	
List \$	\$4.50	

R-BLL-*-^

\$33.50

\$33.50

Sing	gle Cont	act	Do	ouble Con	tacts		
		1			1		
Part #	1 Open Contact	1 Closed Contact	2 Open Contacts -* 20	2 Closed Contacts -* 02	1 Closed, 1 Open Contacts -* 11	LED	Bulb Voltage
10	List	List	List	List	List	- 1	Voltage
R-GL-*-^	\$20.50	\$20.50	\$25.50	\$25.50	\$25.50	M	12 V AC/DC
R-RL-*-^	\$20.50	\$20.50	\$25.50	\$25.50	\$25,50	G	24 V AC/DC
R-YL-*-^	\$20.50	\$20.50	\$25.50	\$25.50	\$25.50	0	48 V AC/DC

\$38.50

Example:
R-RLE-01-A
Red illuminated PB with
1N.C. contact & 110V bulb

Illuminated Extended Pushbutton



•		
	Operator	Only
1	Green	R-GLE
	Red	R-RLE
	Yellow	R-YLE
	Blue	R-BLLE
1	List \$	\$4.50

Single Contact		Double Contacts					
(K.	1		3. -1		
Part#	1 Open Contact	1 Closed Contact	2 Open Contacts -* 20	2 Closed Contacts -* 02	1 Closed, 1 Open Contacts -* 11	LED	Bulb Voltage
	List	List	List	List	List	- ^	Voltage
R-GLE-*-^	\$20.50	\$20.50	\$25.50	\$25.50	\$25.50	M	12 V AC/DC
R-RLE-*-^	\$20.50	\$20.50	\$25.50	\$25.50	\$25,50	G	24 V AC/DC
R-YLE-*-^	\$20.50	\$20.50	\$25.50	\$25.50	\$25.50	0	48 V AC/DC
R-BLLE-*-^	\$33.50	\$33.50	\$38.50	\$38.50	\$38.50	Α	110 V AC/DO

\$38.50

\$38.50

Example: R-RL-M0-01-G Red illuminated Mushroom operator with 1N.C. contact & 24V bulb. Illuminated Mushroom Pushbutton



	Operator Only			
MOMENTARY	Green	R-GL-MO		
MOMENTART	Red	R-RL-MO		
	List\$	\$7.00		
Maintained	Green	R-GL-MA		
Push/Pull	Red	R-ESTOP-L		
	List\$	\$10.00		

Single Contact		Do	ouble Con	tacts			
Part#	1 Open Contact	1 Closed Contact	2 Open Contacts -* 20	2 Closed Contacts - 02	1 Closed, 1 Open Contacts		candescent ulb Voltage
	List	List	List	List	List		Voltage
R-GL-MO*-^	\$18.50	\$18.50	\$23.50	\$23.50	\$23.50	M	12 V AC/DC
R-RL-MO*-^	\$18.50	\$18.50	\$23.50	\$23.50	\$23.50	G	24 V AC/DC
						0	48 V AC/DC
R-GL-MA*-^	\$21.50	\$21.50	\$26.50	\$26.50	\$26.50	Α	110 V AC/DC
R-ESTOP-L-*-^	\$21.50	\$21.50	\$26.50	\$26.50	\$26,50	C	220V AC

Example: R-GL-2-10-A

Green illuminated 2 Position selector with 1N.O. contact & 110V bulb.

Illuminated Selector Switches



	Operator Only			
	Green	R-GL-2		
2 Postition	Red	R-RL-2		
	Yellow	R-YL-2		
	Green	R-GL-3		
3 Postition	Red	R-RL-3		
		11111		

List \$

\$10.00

Single Contact	Double Contacts

Part #	1 Open Contact	1 Closed Contact	2 Open Contacts -* 20	2 Closed Contacts -* 02	1 Closed, 1 Open Contacts -* 11		andescent ulb Voltage
	List	List	List	List	List	. ^	Voltage
R-GL-2*-^	\$21.50	\$21.50	\$26.50	\$26.50	\$26.50	M	12 V AC/DC
R-RL-2*-^	\$21.50	\$21.50	\$26.50	\$26.50	\$26.50	G	24 V AC/DC
R-YL-2*-^	\$21.50	\$21.50	\$26.50	\$26.50	\$26.50	0	48 V AC/DC
						Α	110 V AC/DC
R-GL-3*-^			\$26.50	\$26.50	\$26.50	С	220V AC
R-RL-3*-^			\$26.50	\$26.50	\$26.50		
R-YL-3*-^			\$26.50	\$26.50	\$26.50		

110 V AC/DC



Emergency Stopbutton & Stations



Description	ĺ
Plastic	
Aluminum	

Assembled Units

Part#	1 Normally Closed Contact -* 01	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-R-PP-*-P	\$38.00	\$43.00	\$43.00
R-R-PP-*-A	\$46.00	\$51.00	\$51.00



1	
ł	Description
Ì	Plastic
ı	Aluminum

Part #	1 Normally Closed Contact -* 01	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-ESTOPKEY-*-P	\$44.00	\$49.00	\$49.00
R-ESTOPKEY-*-A	\$52.00	\$55.00	\$55.00



Description	Ī
Plastic	
Aluminum	Ī

Part#	1 Normally Closed Contact -* 01	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-ESTOP- *-P	\$38.00	\$43.00	\$43.00
R-ESTOP- * -A	\$46.00	\$51.00	\$51.00


Emergency Palm Pushbutton


Description	Part #	List Price	Illuminated Part #	List Price
Maintained	060EPAR	\$130.00	060EPADR	\$156.00
Momentary	060EPR	\$115.00	060EPDR	\$138.00
Palm Button Enclosure	060S (GREY)	\$12.00	060SG (Yellow)	\$12.00




UL, CSA, CE NEMA 4, IP65, 600V, 10 Amp Thermal Current, 6 Amp 110V,3A 220V Maintained Palm Buttons

Make & Break Current.







Side View

NEMA 1 Rated Dual Start / Stop Momentary Pushbuttons Ulus

(Bo	ot Fits R-	S-STPL Vers	ion)
Operator only			
Part#	R-S-ST	R-S-STPL	BSC-DT Boot

1	Asse	mbled Pushbu	ttons with 1 N.O. +	1N.C. Contacts
				Extended
	Part #	R-S-ST-11	R-S-STPL-11-* (includes bulb)	EXT-ST-11-* (includes bulb)
1	List Price	\$15.00	\$24.00	\$12.00



"R" - Series Selector Switches

Selector Switch (Short Lever)			Operator Only
Two Position	Two	Maintained	R-2M
	Position	Spring Return	R-2R
		Maintained	R-3M
	Three	Spring Return to Center	R-3R
	Position	Spring Return Left to Center	R-3SLeft
(Short Lever)		Spring Return Right to Center	R-3SRigh
		List \$	\$9.00

	Single Contact	Double Contact
Assembled Units		
Part #	1 Normally Open Contact -* 10	2 Normally Open Contacts -* 20
R-2M-*	\$14.00	
R-2R-*	\$14.00	
R-3M-*		\$19.00
R-3R-*		\$19.00
R-3SLeft-*		\$19.00
R-3SRight-*		\$19.00

Selector Switch (Long Lever)			Operator Only
GEN9.	Two	Maintained	RL-2M
	Position	Spring Return to Center	RL-2R
1	1000000	Maintained	RL-3M
	Three	Spring Return to Center	RL-3R
	Position	Spring Return Left to Center	RL-3SLeft
		Spring Return Right to Center	RL-3SRigh
		List \$	\$9.00

1	Single Contact	Double Contact
Assembled Units		
Part#	1 Normally Open Contact -* 10	2 Normally Open Contacts -* 20
RL-2M-*	\$14.00	
RL-2R-*	\$14.00	
RL-3M-*		\$19.00
RL-3R-*		\$19.00
RL-3SLeft-*		\$19.00
RL-3SRight-*		\$19.00

Keyed Selector Switch (Maintained)	Г	Key Removal	Operator Only
	- L	Both Positions	R-2KEY
	Two Position	Left Position	R-2KEYL
- Ain		Right Position	R-2KEYR
	Three	All Positions	R-3KEY-AP
C 125		Center Position	R-3KEY-C
		Left & Right Positions	R-3KEY-RL
	Position	Left Position	R-3KEY-L
		Right Position	R-3KEY-RL
		List \$	\$12.00

	Single Contact	Double Contact
Assembled Units		
Part#	1 Normally Open Contact -* 10	2 Normally Open Contacts -* 20
R-2KEY-*	\$17.00	
R-2KEYL-*	\$17.00	
R-2KEYR-*	\$17.00	
R-3KEY-AP-*		\$22.00
R-3KEY-C-*		\$22.00
R-3KEY-RL-*		\$22.00
R-3KEY-L-*		\$22.00
R-3KEY-RL-*		\$22.00

			GII
		-	
-1	1		
1		-1	
1			
	-		

	Spring Return	Key Removal	Operator Only
Two Pos.	Right to Left	Left	R-KEYC-2M
Three	To Center	Center	R-3M
Position	Right to Center	Center	R-3KEY-CSTOC
		Links	\$12.00

	Single Contact	Double Contact
Assembled Units		-65
Part#	1 Normally Open Contact -* 10	2 Normally Open Contacts -* 20
R-KEYC-*	\$17.00	
R-3KEY-CSTOC-*		\$22.00
R-3KEY-CSTRT-*		\$22.00



"R" Series 22mm Pushbuttons Rugged Steel Design

Assembled Units

● NEMA 4

IP65





Momentary Flush Pushbutton		Operator
	Green	R-G
	Red	R-R
The same of the sa	Black	R-B
	Yellow	R-Y
	Blue	R-BL
	White	R-W
	Arrow	R-AR
	List \$	\$4.00


Single Contact			Double Contacts	83.	
		l.			
Part#	1 Normally Open Contact -* 10	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-G-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-R-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-B-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-Y-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-BL-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-W-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-AR-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00

Momentary Extended Pushbutton		Operator Only
	Green	R-G-E
	Red	R-R-E
	Black	R-B-E
1 × 1 (m)	Yellow	R-Y-E
	Blue	R-BL-E
	White	R-W-E
	Arrow	R-AR-E
	List\$	\$4.00

Single Contact		Double Contacts			
				FE:	
Part#	1 Normally Open Contact -* 10	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-G-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-R-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-B-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-Y-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-BL-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-W-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00
R-AR-E-*	\$9.00	\$9.00	\$14.00	\$14.00	\$14.00

40mm Momentary Mushroom Pushbuttor		Operator
	Green	R-G-M
	Red	R-R-M
	Black	R-B-M
	Yellow	R-Y-M
The second second	Blue	R-BL-M
	White	R-W-M
	List\$	\$6.00

Single Contact		_	Double Contacts		
Part#	1 Normally Open Contact	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-G-M-*	\$11.00	\$11.00	\$16.00	\$16.00	\$16.00
R-R-M-*	\$11.00	\$11.00	\$16.00	\$16.00	\$16.00
R-B-M-*	\$11.00	\$11.00	\$16.00	\$16.00	\$16.00
R-Y-M-*	\$11.00	\$11.00	\$16.00	\$16.00	\$16.00
R-BL-M-*	\$11.00	\$11.00	\$16.00	\$16.00	\$16.00
R-W-M-*	\$11.00	\$11.00	\$16.00	\$16.00	\$16.00






A Secure + Safe System Versus Snap on Contacts




"R" Series E Stop Operators


Assembled Units




	Single Conta	ct		Double Contacts	
Part#	1 Normally Open Contact -* 10	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-R-PP-*	\$18.00	\$18.00	\$23.00	\$23.00	\$23.00




	Single Conta	ict		Double Contacts	
0			O E		
Part#	1 Normally Open Contact -* 10	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-ESTOP-*	\$18.00	\$18.00	\$23.00	\$23.00	\$23.00




	Single Conta	ct		Double Contacts	
Part #	1 Normally Open Contact -* 10	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-ESTOP-60-*	\$18.00	\$18.00	\$23.00	\$23.00	\$23.00



	Single Conta	ct		Double Contacts	
Part#	1 Normally Open Contact -* 10	1 Normally Closed Contact -* 01	2 Normally Open Contacts -* 20	2 Normally Closed Contacts -* 02	1 Closed & 1 Open Contacts -* 11
R-ESTOP-KEY-*	\$24.00	\$24.00	\$29.00	\$29.00	\$29.00






A Secure + Safe System Versus Snap on Contacts



LED Pilot Light's Modular 22mm + 30mm







- -Operational Temperature -13°+ 130°F
- -Protection Degree NEMA 4X IP65
- -Current Draw -le MA<80- (6, 12v)

20- (24, 48), 110, 220V.

- -Brightness = $-cd/M^2 \ge 60$
- -AC Rated Frequency = -50/60 HZ
- -Saddle Clamp Screw Terminals.

Mounting - 22mm or 30mm hole diameter.

List Price \$22.00 Per Light 100 + pcs. mix qty. \$16.00 Per Light

Part Numbers	Colors
B22LED-R-*	RED
B22LED-G-*	GREEN
B22LED-Y-*	YELLOW
B22LED-B-*	BLUE
B22LED-W-*	WHITE

*Add Voltage Suffix:

(*) Add Suffix for Colors		
-A	110VAC	
-C	220VAC	
-G	24VAC/DC	
-0	48VAC/DC	
-D	380VAC	
-M	12VAC/DC	

For 30mm LED pilot light simply Add suffix "30" to end of part # - Add \$9 to list.

Example - B22LED-R-A-30 \$31.00 List.



Discount Schedule "B"



"R" - Series **Accessories**

• NEMA 4

• IP65






• (€ • 10 Amp 600 VAC

9	Boot Colors \$4.00	Non - Illuminated PART #
NEMA 4X	CLEAR	R-BOOT
Rubber Boot	GREEN	R-GBOOT
Recommended	RED	R-RBOOT
for wash down	AMBER	R-ABOOT
Applications	BLUE	R-BBOOT

Emer	gency Stop Name PI	ates \$4.00
ENERGENCL	Diamete	r Part #
	60mm Plastic	R-60PESTOP
	90mm Plastic	R-90PESTOP
	60mm Aluminum	R-60AESTOP
STOP	90mm Aluminum	R-90AESTOP

Illuminated Pushbuttons Clear BOOT Part # R-BOOTCL

Block Holder	Spare Steel Block Holder (for Non-illuminated Devices) R-Block \$2.00		
Incandescent spare bulbs \$4.00	Part # includes Voltage (AC/DC R-BULB-6V R-BULB-12V R-BULB-24V R-BULB-48V R-BULB-130V		
Spade Connection	Quick connect (male) for "Fast - On" "QC" wiring method Part # R-QC \$0.50 List Price		
Spare Key	Part# R-Key \$2.00 List		
Padlock Cover	Part # R-Cover for Pushbuttons ONLY \$6.00 List		
30 to 22mm Hole Adaptor	Part # R-30 - 22 \$2.00 List		
Part # R-TOOL \$4.00 List			



LEGEND PART #	\$3.00 List	
R-OFF	R-STOP START	
R-STOP	R-OPEN	
R-START	R-RESET	
R-FOWARD	R-CLOSE	
R-REVERSE	R-HIGH LOW	
R-UP	R-AUTO	
R-DOWN	R-HAND	
R-HAND OFF AUTO	R-FAST	
R-EMERGENCY STOP	R-SLOW	
R-OFF ON	R-HIGH	
R-INCH	R-LOW	
R- Blank	R-Run	



"R" Series 22mm Pushbuttons Accessories


NEMA 4

= 6 Poles Max.

IP65



CE



Terminal Marking Numbers	10A Block 600 A	Part #	List Price
3 - 4	Normally Open	R-NO	\$5.00
13 - 14			\$5.00
1-2	1-2 Normally Closed		\$5.00
21 - 22	Normally Closed	R-NC2122	\$5.00
1 - 2 N.C. with Gold Flash		R-NC-G	\$12.00
3 - 4	N.O. with Gold Flash	R-NO-G	\$12.00



* Add to end of part #	
AC/DC Voltage	* Suffix
12	-M
24	-G
48	-0
110	-A
220	-C

Row:

Pushbuttons Only				
Light Sockets + LED Bulb Add * Suffix to designate voltage.				
Description	Part #	List Price		
Exclusively for Illuminated Pushbuttons				
LED - Green	R-G-LED-*	\$11.00		
LED - Red	R-R-LED-*	\$11.00		
LED - Yellow	R-Y-LED-*	\$11.00		
LED - Blue	R-B-LED-*	\$24.00		

* Add to end of part #		
AC/DC Voltage	* Suffix	
12	-M	
24	-G	
48	-0	
110	-A	

Pushbutton Stations - IP65

R-3PBP

Refer to page 162 for factory assembled stations.



R-1PBA

22mm Holes	Part #	List Price
	Thermoplastic	
1	R-1PBP	\$14.00
2	R-2PBP	\$15.00
3	R-3PBP	\$16.00
4	R-4PBP	\$21.00
1(yellow)	R-1PBPY	\$14.00



	Aluminum Die Cast		
1	R-1PBA	\$20.00	
2	R-2PBA	\$24.00	
3	R-3PBA	\$24.00	
4	R-4PBA	\$29.00	

R-1PBPY



R-2PPBA

